

Receiving Report

Date: 13/5/17
 Supplier: Turner D/O

Batch No. M2 5579
 Dart P/O: 19706

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐
 Shipment Complete: Yes ☐ No ☒ N/A ☐
 QC6 Inspection: 13-05-08 N/A ☒
 Work Order: 16 13/5/17 N/A ☒

Discrepancies

| Part Number | Description | Quantity Ordered | Quantity Received | Quantity Returned | Quantity Short | Comments |
|-------------|-----------------|------------------|-------------------|-------------------|----------------|----------|
| M60676 | F0-3)254058 200 | 200 | 0 | 0 | 200 | |
| M80705 | 73R1-20 | 48 | 0 | 0 | 48 | |
| | | | | | | |

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 13/5/17
 Date [Signature]
 Received/Costing [Signature]
 Initial [Signature]

Location _____

Purchase Order Receipt Listing

Tuesday, May 07, 2013 11:28:07 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO19756 Receipt Dates from 5/7/2013 to 5/7/2013 All Line Item Types
 All Item ID/GL/WOs All Rec. Employees All Currencies
 Grouped by Vendor ID

| Purchase Order ID/ Curr Type | Line Nbr/ Insp Req | Project ID | Reference/ Description/ Cert Std | PO U/M / Stock U/M | Required Date Required Qty | Recv Date/ Recv Emp | Recv Qty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MRB Qty/ MRB Reject Qty | Book Amt |
|---|-----------------------|------------|--|-----------------------|-------------------------------|------------------------|----------------------|------------------------------|--|----------------------------|------------|
| Vendor ID \ Vendor Name VU-TWM001 TW-Metals | | | | | | | | | | | |
| PO19756 | 2 | | M6061T6T0.500W.0 f | | 5/8/2013 | 5/7/2013 | 204.0000 | \$2.10 | 0.0000 | 0 | \$428.40 |
| USD | No | | 6061T6 RD TUBE f | | 200.0000 | DES102 | | \$428.40 | 0.0000 | 0 | |
| | | | .500 X .065W | | | | | | | | |
| | | | 125519 | | | | | | | | |
| | 3 | | M6061T6T1.000W.06 f | | 5/8/2013 | 5/7/2013 | 108.0000 | \$2.25 | 0.0000 | 0 | \$243.00 |
| | No | | 6061T6 RD TUBE f | | 100.0000 | DES102 | | \$243.00 | 0.0000 | 0 | |
| | | | 1.00 x .065W | | | | | | | | |
| | | | 125519 | | | | | | | | |
| | 4 | | M6061T6T1.250W.1 f | | 5/8/2013 | 5/7/2013 | 204.0000 | \$5.25 | 0.0000 | 0 | \$1,071.00 |
| | No | | ALUM. RD TUBING f | | 200.0000 | DES102 | | \$1,071.00 | 0.0000 | 0 | |
| | | | 1.250 x.125W | | | | | | | | |
| | | | 125519 | | | | | | | | |

Total Received Quantity: 516.0000
 Total Qty to Inspect (PO U/M): 0.0000
 Total Reject Quantity: 0.0000
 Total Receipt Value: \$1,742.40
 Total Balance Due Quantity: 0.0000

[Signature]
 130508



PACKING SLIP

ORDER NO.: 60505398 FROM: CRAN PAGE 1

CUST NUMBER: 1203820 NET WGT: 151.474 REQ.DATE: 05/08/13 CONFIRMED
SOLD TO: SHIP TO:
DART AEROSPACE LTD DART AEROSPACE LTD
1270 ABERDEEN ST 1270 ABERDEEN ST
HAWKESBURY ON HAWKESBURY ON
CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 05/03/13
TERMS: NET 30 DAYS VIA: COMMON CARRIER
F.O.B.: SHIPPING POINT FREIGHT: PREPAID
CUST ORD NO.: PO19756 IT 2.3.4 RELEASE NO.:
RECEIVING PHONE:

| LINE | ITEM DESCRIPTION | WIDTH | LENGTH |
|------|---------------------------------|----------------|--------------------|
| 0001 | 42297 D6061-T6 1/2 OD X .065 WA | | 12 FT ML |
| QTY: | 204.000 FT | WT: 21.200 PC: | 17 SHP: 204.000 FT |

** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49290842 HT:29288780 PC: 17 SLB/CL:212671
MLT:UNITED STATES MFG:UNITED STATES

| | | | |
|------|-------------------------------|----------------|-------------------|
| 0002 | 43284 D6061-T6 1 OD X .065 WA | | 12 FT ML |
| QTY: | 108.000 FT | WT: 24.300 PC: | 9 SHP: 108.000 FT |

** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49266318 HT:F000153810002 PC: 17 SLB/CL:606141
MLT:UNITED STATES MFG:UNITED STATES

| | | | |
|------|-----------------------------------|-----------------|--------------------|
| 0003 | 43737 D6061-T6 1-1/4 OD X .125 WA | | 12 FT ML |
| QTY: | 204.000 FT | WT: 105.974 PC: | 17 SHP: 204.000 FT |

** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49273346 HT:F000150450001 PC: 17 SLB/CL:614414
MLT:UNITED STATES MFG:UNITED STATES

| AREA | TYPE OF PKG | GRS WEIGHT | WIDTH | LENGTH | HGHT |
|------|-------------|------------|-------|--------|------|
|------|-------------|------------|-------|--------|------|

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE
OF THESE PRODUCTS ARE SET FORTH ON THE
REVERSE SIDE FOR YOUR CAREFUL REVIEW.



PACKING SLIP

ORDER NO.: 60505398 FROM: CRAN PAGE 2

CUST NUMBER: 1203820
SOLD TO:
DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY ON
CANADA

NET WGT:

151.474 REQ.DATE: 05/08/13 CONFIRMED
SHIP TO:
DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY ON
ONTARIO CANADA

CN K6A 1K7

CN K6A 1K7

SALESPERSON: DONNA SMALLEY
TERMS: NET 30 DAYS
F.O.B.: SHIPPING POINT
CUST ORD NO.: PO19756 IT 2.3.4

SHIP BY: 05/03/13
VIA: COMMON CARRIER
FREIGHT: PREPAID
RELEASE NO.:
RECEIVING PHONE:

LINE ITEM DESCRIPTION
B REDDICRATE

1.000 121.000 12.5000

1.000 121.000

BY: CI
RT 000-

UNLOAD TYPE: NONE SPECIFIED

DATE SHIPPED _____

DATE FILLED _____

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE
OF THESE PRODUCTS ARE SET FORTH ON THE
REVERSE SIDE FOR YOUR CAREFUL REVIEW.

ORDER NO.: 60505398 FROM: CRAN PAGE 3

CUST NUMBER: 1203820 NET WGT:

SOLD TO:

DART AEROSPACE LTD

1270 ABERDEEN ST

HAWKESBURY ON

CANADA

CN K6A 1K7

151.474 REQ.DATE: 05/08/13 CONFIRMED

SHIP TO:

DART AEROSPACE LTD

1270 ABERDEEN ST

HAWKSEBURY ON

ONTARIO CANADA

CN K6A 1K7

SALESPERSON:

DONNA SMALLEY

TERMS:

NET 30 DAYS

F.O.B.:

SHIPPING POINT

CUST ORD NO.:

PO19756 IT 2.3.4

VIA:

COMMON CARRIER

FREIGHT:

PREPAID

RELEASE NO.:

RECEIVING PHONE:

SHIP BY:

05/03/13

27 ENGLEHARD DRIVE

MONROE TWP

NJ 08831

"TW Metals MSDS data is available on our web site at www.twmetals.com. MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

"CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Electronically Generated Certificate-Valid without signature Date: 5/03/13

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON THE REVERSE SIDE FOR YOUR CAREFUL REVIEW.

KAISER ALUMINUM FABRICATED PRODUCTS

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

| | | | | | |
|---|--------------------------|--------------------------------|---|--|----------------------|
| CUSTOMER PO NUMBER: M49273346-1 | | CUSTOMER PART NUMBER: 43737 | | PRODUCT DESCRIPTION: Seamless Tube/Pipe \ | |
| KAISER ORDER NUMBER: 614414 | LINE ITEM: 001 | SHIP DATE: 05/22/2012 | KAISER LOT NUMBER: F00015045 | ALLOY: 6061 | TEMPER: T6 \ |
| WEIGHT SHIPPED: 1664.000 LB | QUANTITY: 267.000 PCS | B/L NUMBER: 603505 | DIAM/DAF/THKNS: | WIDTH: | LENGTH: 12.000 FT |
| SHIP TO: TW METALS INC 3570 EXPRESSWAY DR TOLEDO, OH 43608 USA | | | SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA | | |

Actual Physical Properties

| REFERENCE | DASH# | SAMPLE# | UTS (KSI) | YTS (KSI) | ELONG% | HARDNESS | CONDUCT. | BEND |
|-----------|-------|---------|-----------|-----------|--------|----------|----------|------|
| F00015045 | 0001 | 1 | 45.4 | 43.1 | 18.0 | N/A | N/A | N/A |
| F00015045 | 0002 | 1 | 45.9 | 43.1 | 19.5 | N/A | N/A | N/A |
| F00015045 | 0003 | 1 | 44.9 | 41.9 | 17.0 | N/A | N/A | N/A |

Chemical Composition (wt%), Aluminum Remainder

| LIMITS | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Pb | Bi | Zr | Ea | Tot |
|---------|------|------|------|------|------|------|------|------|-----|-----|-----|------|------|
| Maximum | 0.80 | 0.70 | 0.40 | 0.15 | 1.20 | 0.35 | 0.25 | 0.15 | NA | NA | NA | 0.05 | 0.15 |
| Minimum | 0.40 | 0.00 | 0.15 | 0.00 | 0.80 | 0.04 | 0.00 | 0.00 | NA | NA | NA | 0.00 | 0.00 |
| D70067 | .59 | .34 | .21 | .04 | 1.00 | .07 | .06 | .02 | .00 | .00 | .00 | .01 | .02 |

Applicable Requirements:

Description: OD: 1.250"; Wall: 0.125"; Round @
AMS-4082P AMS-WW-T-700/6B ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.
This Product Complies to FAR BAA, DFARS BAA, FAR TAA
COMPLIES TO DIN EN 10204 JAN 2005
No Weld Repair. Mercury Free.

gm 1305-08
5/15/08

Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER, AZ) MELTED IN USA

| | | | |
|--|-------------|--|---------------------------------|
| T E S T R E P O R T | TW METALS | | R E P O R T S |
| | MAY 22 2012 | | |
| | ACCEPTED BY | | |
| | | | |

Plant Serial: 00045072
Kaiser Order Number: 614414
Line Item: 001

KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048



CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Alex Yeh, Quality & Technology Manager



KAISER ALUMINUM FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

| | | | | | |
|---|--------------------------|--------------------------------|---|--|----------------------|
| CUSTOMER PO NUMBER: M49266318-1 | | CUSTOMER PART NUMBER: 43284 | | PRODUCT DESCRIPTION: Seamless Tube/Pipe | |
| KAISER ORDER NUMBER: 606141 | LINE ITEM: 001 | SHIP DATE: 07/01/2012 | KAISER LOT NUMBER: F00015381 | ALLOY: 6061 | TEMPER: T6 |
| WEIGHT SHIPPED: 836.000 LB | QUANTITY: 310.000 PCS | B/L NUMBER: 603802 | DIAM/DAF/THKNS: | WIDTH: | LENGTH: 12.000 FT |
| SHIP TO: TW METALS INC 10771 PALMBAY DRIVE ORLANDO, FL 32824 USA | | | SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA | | |

Actual Physical Properties

| REFERENCE | DASH# | SAMPLE# | UTS (KSI) | YTS (KSI) | ELONG% | HARDNESS | CONDUCT. | BEND |
|-----------|-------|---------|-----------|-----------|--------|----------|----------|------|
| F00015381 | 0001 | 1 | 45.1 | 41.9 | 17.0 | N/A | N/A | N/A |
| F00015381 | 0002 | 1 | 45.3 | 42.1 | 15.0 | N/A | N/A | N/A |

Chemical Composition (wt%), Aluminum Remainder


| LIMITS | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Pb | Bi | Zr | Ea | Tot |
|---------|------|------|------|------|------|------|------|------|-----|-----|-----|------|------|
| Maximum | 0.80 | 0.70 | 0.40 | 0.15 | 1.20 | 0.35 | 0.25 | 0.15 | NA | NA | NA | 0.05 | 0.15 |
| Minimum | 0.40 | 0.00 | 0.15 | 0.00 | 0.80 | 0.04 | 0.00 | 0.00 | NA | NA | NA | 0.00 | 0.00 |
| D70435 | .61 | .31 | .24 | .05 | .97 | .08 | .06 | .02 | .00 | .00 | .00 | .01 | .02 |
| D70298 | .64 | .31 | .24 | .06 | 1.01 | .08 | .06 | .03 | .00 | .01 | .00 | .01 | .03 |

Applicable Requirements:

Description: OD: 1.000"; Wall: 0.063"; Round @
AMS-4082P AMS-WW-T-700/6B ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1, Per AMS-4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.
This Product Complies to FAR BAA, DFARS BAA, FAR TAA
COMPLIES TO DIN EN 10204 JAN 2005
No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER, AZ) MELTED IN USA ✓



Plant Serial: 00049377

Kaiser Order Number: 606141

Line Item: 001

KAISER ALUMINUM

FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

*Best in
Class*

CERTIFIED TEST REPORT


<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Calvin Latting, Quality & Technology Manager

Calvin Latting



Plant Serial: 00049377

Kaiser Order Number: 606141

Line Item: 001



A COMPANY OF MUELLER INDUSTRIES

PRECISION TUBE CO.

287 WISSAHICKON AVE.
NORTH WALES PA 19454

Control No: 163060

CERTIFIED TEST REPORT

| CUSTOMER PURCHASE ORDER NO. | CUST. ORD. NO. | PRECISION TUBE P/N |
|-----------------------------|----------------|--------------------|
| 49290842 LINE 001 | 212671 | 24A050000650007 |

SOLD: TW METALS
TO 760 CONSTITUTION DR.
SUITE 204
EXTON, PA 19341

SHIP: TW METALS - CRANBURY
TO 27 ENGLEHARD DRIVE
MONROE TWP, NJ 08831
UNITED STATES

| QUANTITY ORD. | DESCRIPTION | QTY. SHIPPED | DATE SHIPPED |
|---------------|--|---|--------------|
| 4008 FT | METAL - 6061 ALUM TEMPER - T6 SPEC - AMS 4082P AMS-WW-T-700/6B WW-T-700/6F 1M 2 ASTM-B-210-12 LENGTH - 12 FT LGTH TOL +.1250 IN -.0000 IN SHAPE - ROUND FINISH - STRAIGHT EXACT LENGTHS OD .5000 +.0030 -.0030 ID WALL .0650 +.0040 -.0040 | 3696 FT <i>gm</i> <i>13-05-08</i> | 04/18/13 |

MECHANICAL PROPERTIES

| SAMPLE # | TENSILE STRENGTH (P.S.I.) | YIELD STRENGTH (P.S.I.) | ELONGATION IN 2 INCHES (%) | ROCKWELL HARDNESS | AVERAGE GRAIN SIZE (MM.) |
|----------|---------------------------|-------------------------|----------------------------|-------------------|--------------------------|
| 1 | 45,958 | 41,150 | 19 | | |

DESTRUCTIVE TESTS

Comments: FAR BAA COMPLIES, DFARS BAA COMPLIES, FAR TAA COMPLIES

NON-DESTRUCTIVE TESTS

EDDY CURRENT: PASS

CHEMICAL COMPOSITION

| | | | | | | | | | |
|--|------|-------|------|--|------|------|------|------|------|
| ALLOY: 6061 | | HEAT: | | TRACEABILITY #: 29288780 | | | | | |
| | | | | RAW MATL VENDOR: PT26017 - Kaiser Aluminum | | | | | |
| | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Al |
| Min | 0.40 | | 0.15 | | 0.80 | 0.04 | | | Rem. |
| Max | 0.80 | 0.70 | 0.40 | 0.15 | 1.20 | 0.35 | 0.25 | 0.15 | |
| OTHER ELEMENTS: 0.05 MAX EACH / 0.15 MAX TOTAL | | | | | | | | | |

We hereby certify that the material has been manufactured and tested in accordance with the requirements of the applicable specifications and descriptions set forth on Precision Tube's sales acknowledgement. During the manufacturing, testing and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury containing device employing a single boundary containment. Test results indicate that the material is compliant with the current revision of the RoHS Directive (2002/95/EU).

Melted and Manufactured in USA
QMS Registered to ISO 9001: 2008By: *Art Onaitis*Art Onaitis
QA Manager

04/18/13

KAISER ALUMINUM


FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT
<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

| | | | | | |
|--|---------------------------------|---|--|--|--------------------------|
| CUSTOMER PO NUMBER: PT26017 | | CUSTOMER PART NUMBER: SPIRIT-371850 | | PRODUCT DESCRIPTION: 5.400 LB/PC .500 LB/-0 LB 1.312 OD X .085 WALL ESRT | |
| KAISER ORDER NUMBER: 315246 | LINE ITEM: 001 | SHIP DATE: 03/01/2013 | KAISER LOT NUMBER: 50751-237 | ALLOY: 6061 | TEMPER: O |
| WEIGHT SHIPPED: 5459.000 LB | QUANTITY: 983.000 PCS | B/L NUMBER: 004036 | DIAM/DAF/THKNS: | WIDTH: | LENGTH: 13.545 |
| SHIP TO: PRECISION TUBE CO 287 WISSAHICKON AVENUE N. WALES, PA 19454 USA | | | SOLD TO: MUELLER INDUSTRIES, INC PRECISION TUBE 8285 TOURNAMENT DRIVE STE. 150 MEMPHIS, TN 38125 USA | | |



Actual Physical Properties

| REFERENCE | DASH# | SAMPLE# | UTS (KSI) | YTS (KSI) | %Elong in 2 | HARDNESS | CONDUCT. | BEND |
|-----------|-------|---------|-----------|-----------|-------------|----------|----------|------|
| 50751-237 | 0001 | 001 | 15.8 | 4.8 | 28.9 | NA N/A | N/A | N/A |
| 50751-237 | 0001 | 002 | 16.0 | 4.8 | 25.6 | NA N/A | N/A | N/A |
| 50751-237 | 0001 | 003 | 16.0 | 4.7 | 29.0 | NA N/A | N/A | N/A |
| 50751-237 | 0001 | 004 | 16.0 | 4.8 | 28.3 | NA N/A | N/A | N/A |
| 50751-237 | 0001 | 005 | 15.9 | 4.6 | 28.5 | NA N/A | N/A | N/A |
| 50751-237 | 0001 | 006 | 16.0 | 5.1 | 28.2 | NA N/A | N/A | N/A |

Chemical Composition (wt%), Aluminum Remainder

| LIMITS | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Pb | Bi | Zr | Ea | Tot |
|---------|------|------|------|------|------|------|------|------|-----|-----|-----|------|-----|
| Maximum | 0.80 | 0.70 | 0.40 | 0.15 | 1.20 | 0.35 | 0.25 | 0.15 | NA | NA | NA | 0.05 | .15 |
| Minimum | 0.40 | 0.00 | 0.15 | 0.00 | 0.80 | 0.04 | 0.00 | 0.00 | NA | NA | NA | 0.00 | .0 |
| F71336 | .61 | .33 | .21 | .06 | .97 | .08 | .08 | .03 | .00 | .00 | .00 | .01 | .02 |
| F71345 | .60 | .35 | .20 | .05 | .98 | .09 | .05 | .02 | .00 | .00 | .00 | .01 | .02 |

Applicable Requirements:

ASTM-B241-12 NON-STENCILED ASTM-B221-12a ASTM-B345-11 AMS-QQ-A-200/8 97(R07) TYPE I
UNS#A96061 Also conforms to EN 10204 3.1

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY OF ITS COMPOUNDS ARE UTILITZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.

Plant Serial: 00008274
Kaiser Order Number: 315246
Line Item: 001

KAISER ALUMINUM

FABRICATED PRODUCTS

*Best in
Class*

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>


KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Ron Walls,

Ron Walls



Plant Serial: 00008274

Kaiser Order Number: 315246

Line Item: 001



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1953

PURCHASE ORDER

Purchase Order ID PO19756

Purchase Order Date 5/01/13

PO Print Date 5/01/13

Page Number 1 of 2

Order From :

VU-TWM001

TW METALS
PO BOX 933014
ALTANTA, GA 31193-3014
US

Contact Name

Vendor Phone

585 768 5600

Vendor Fax

585 768 5601

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
6/13/08

1125519

| Line Nbr | Reference Revision ID Vendor Part Number | Description/ Mfg ID | Req Date/ Taxable | Req Qty/ Unit of Measure | Ship Method | Unit Price | Extended Price |
|---------------|--|----------------------------|---|-----------------------------|--------------------------------------|------------|-------------------|
| 1 | M6061T6T0.3125W.058 <i>[Signature]</i> | ALUM TUBE .3125 x .058w | 5/08/13 Yes | 200.00 f | Yours ppd | \$2.5000 | \$500.00 |
| Special Inst: | | | MATERIAL: 6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A- 225/8 | | | | |
| 2 | M6061T6T0.500W.065 <i>[Signature]</i> 13/05/08 | 6061T6 RD TUBE .065W | 5/08/13 Yes | 200.00 f | Yours ppd <i>REC 204/43/01/17</i> | \$2.1000 | \$420.00 |
| Special Inst: | | | MATERIAL: 6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A- 225/8 | | | | |
| 3 | M6061T6T1.000W065 <i>[Signature]</i> 13/05/08 | 6061T6 RD TUBE .065w | 5/08/13 Yes | 100.00 94 | Yours ppd <i>REC 108/43/01/17</i> | \$2.2500 | \$225.00 |

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required - YES NO

Change Nbr: 1

Change Date: 5/01/13



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO19756

Purchase Order Date 5/01/13

PO Print Date 5/01/13

Page Number 2 of 2

Order From :

TW METALS
PO BOX 933014
ALTANTA, GA 31193-3014
US

VU-TWM001

Contact Name

Vendor Phone 585 768 5600
Vendor Fax 585 768 5601
Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

1120579

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62
TUBING PER WW-T-700/6 OR AMS 4080
OR AMS 4082 OR QQ-A-200/8 OR QQ-A-
225/8

4

M6061T6T1.250W.125

ALUM. RD TUBING
1.250 x.125W

5/08/13

200.00

Yours ppd

\$5.2500

\$1,050.00

Yes

f

A

6/3/07

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62
TUBING PER WW-T-700/6 OR AMS 4080
OR AMS 4082 OR QQ-A-200/8 OR QQ-A-
225/8

5

M7075T73R1.000

7075-T73 Rd Bar 1.00

5/08/13

48.00

Yours ppd

\$7.5000

\$360.00

Yes

f

A

Special Inst:

MATERIAL: 7075-T73 OR 7570-
T7351/T73510/T73511 ROUND BAR
AS PER AMS-QQ-A-200/1 OR AMS-QQ-A-
225/9

PO Total:

\$2,555.00

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 5/01/13

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required - YES NO